

HB-40

Version	Revision Date:	SDS Number:	Date of last issue: 09/14/2017
2.1	11/12/2018	15000093416	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

SECTION 1. IDENTIFICATION

Product name : HB-40

Product code : 34109-00, P3410900, P3410901, P3410902, P3410903

Manufacturer or supplier's details

Company name of supplier : Eastman Chemical Company

Address : 200 South Wilcox Drive
Kingsport TN 37660-5280

Telephone : (423) 229-2000

Emergency telephone : CHEMTREC: +1-800-424-9300, +1-703-527-3887 CCN7321
For emergency transportation information, in the United States: call CHEMTREC at 800-424-9300 or call 423-229-2000.

Recommended use of the chemical and restrictions on use

Recommended use : Plasticizer

Restrictions on use : None known.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical name	CAS-No.	Concentration (% w/w)
terphenyl, hydrogenated	61788-32-7	74 - 87
quaterphenyls and higher polyphenyls, partially hydrogenated	68956-74-1	10 - 18
Terphenyl	26140-60-3	3 - 8

SECTION 4. FIRST AID MEASURES

If inhaled : Remove person to fresh air and keep comfortable for breathing.

HB-40

Version	Revision Date:	SDS Number:	Date of last issue: 09/14/2017
2.1	11/12/2018	150000093416	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

If breathing is difficult, give oxygen.
Get medical attention if symptoms occur.

In case of skin contact : Wash off with soap and plenty of water.
Get medical attention if symptoms occur.
Wash contaminated clothing before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water
for at least 15 minutes.
Get medical attention if symptoms occur.

If swallowed : Call a physician or poison control center immediately.
Do NOT induce vomiting.
Rinse mouth.
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : None known.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray
Carbon dioxide (CO2)
Dry chemical
Foam

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

Hazardous combustion products : Hazardous decomposition products due to incomplete combustion
Carbon oxides

Further information : Use a water spray to cool fully closed containers.
Do not allow run-off from fire fighting to enter drains or water courses.

Special protective equipment for fire-fighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
Avoid contact with skin and eyes.
Material can create slippery conditions.
Wear appropriate personal protective equipment.
Local authorities should be advised if significant spillages cannot be contained.

Environmental precautions : Clear up spills immediately and dispose of waste safely.

HB-40

Version	Revision Date:	SDS Number:	Date of last issue: 09/14/2017
2.1	11/12/2018	150000093416	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Avoid release to the environment.

Methods and materials for containment and cleaning up : Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Do not breathe vapors or spray mist.
Wear appropriate personal protective equipment.
Avoid contact with skin, eyes and clothing.
Wash thoroughly after handling.
Wash contaminated clothing before reuse.
Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Keep in a cool place away from oxidizing agents.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
terphenyl, hydrogenated	61788-32-7	TWA	0.5 ppm	ACGIH
		TWA	0.5 ppm 5 mg/m ³	NIOSH REL
		TWA	0.5 ppm 5 mg/m ³	OSHA P0

Engineering measures : Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective equipment

Respiratory protection : Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary.
Respirator selection, use, and maintenance must be in accordance with regulatory requirements, if applicable.
If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved

HB-40

Version	Revision Date:	SDS Number:	Date of last issue: 09/14/2017
2.1	11/12/2018	150000093416	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

respirator must be worn.

Hand protection

Remarks : Wear suitable gloves.

Eye protection : Wear safety glasses with side shields (or goggles).

Skin and body protection : Wear suitable protective clothing.

Protective measures : Ensure that eye flushing systems and safety showers are located close to the working place.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: colorless, light yellow
Odor	: characteristic
Odor Threshold	: not determined
pH	: not determined
Pour point	: < -11 °F / -24 °C (1,013 hPa)
Boiling point/boiling range	: 648 °F / 342 °C (1,013 hPa)
Flash point	: 338 °F / 170 °C Method: Pensky-Martens closed cup 363 °F / 184 °C Method: Cleveland open cup
Evaporation rate	: not determined
Self-ignition	: 705 °F / 374 °C 1,013 hPa Method: ASTM E659
Upper explosion limit / Upper flammability limit	: not determined
Lower explosion limit / Lower flammability limit	: not determined
Vapor pressure	: 0.00174 hPa (68 °F / 20 °C)
Relative vapor density	: not determined

HB-40

Version	Revision Date:	SDS Number:	Date of last issue: 09/14/2017
2.1	11/12/2018	150000093416	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Relative density : 1.013 (68 °F / 20 °C)

Solubility(ies)
Water solubility : 0.061 mg/l (68 °F / 20 °C)

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : not determined

Decomposition temperature : not determined

Viscosity
Viscosity, dynamic : not determined

Viscosity, kinematic : 133 mm²/s (68 °F / 20 °C)
29.6 mm²/s (104 °F / 40 °C)
3.8 mm²/s (212 °F / 100 °C)

Explosive properties : Not classified

Oxidizing properties : Not classified

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : None known.

Conditions to avoid : Keep away from sources of ignition - No smoking.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition products : Emits acrid smoke and fumes when heated to decomposition.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Remarks: No data available

Acute inhalation toxicity : Remarks: No data available

HB-40

Version	Revision Date:	SDS Number:	Date of last issue: 09/14/2017
2.1	11/12/2018	150000093416	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Acute dermal toxicity : Remarks: No data available

Ingredients:**terphenyl, hydrogenated:**

Acute oral toxicity : LD50 Oral (Rat): > 10,000 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks : No data available

Ingredients:**terphenyl, hydrogenated:**

Species : Rabbit
Exposure time : 24 h
Result : none

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks : No data available

Ingredients:**terphenyl, hydrogenated:**

Species : Rabbit
Result : none
Exposure time : 24 h

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Remarks : No data available

HB-40

Version	Revision Date:	SDS Number:	Date of last issue: 09/14/2017
2.1	11/12/2018	15000093416	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Ingredients:**terphenyl, hydrogenated:**

Species : Humans
 Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Ingredients:**terphenyl, hydrogenated:**

Genotoxicity in vitro : Test Type: Mutagenicity - Bacterial
 Method: Bacterial Reverse Mutation Assay
 Result: negative

Test Type: Chromosome aberration test in vitro
 Method: In vitro Mammalian Cell Gene Mutation Test
 Result: negative

Test Type: Mutagenicity - Mammalian
 Result: negative

Genotoxicity in vivo : Species: Rat
 Method: Mammalian Bone Marrow Chromosome Aberration Test
 Result: negative

Carcinogenicity

Not classified based on available information.

Product:

Remarks : This information is not available.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Product:

Effects on fertility : Remarks: No data available

STOT-single exposure

Not classified based on available information.

Product:

HB-40

Version	Revision Date:	SDS Number:	Date of last issue: 09/14/2017
2.1	11/12/2018	150000093416	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Remarks : No data available

STOT-repeated exposure

Not classified based on available information.

Product:

Remarks : No data available

Repeated dose toxicity**Ingredients:****terphenyl, hydrogenated:**

Species : Rat
NOAEL : 12 mg/kg
LOAEL : 120 mg/kg
Application Route : Oral Study
Exposure time : 90 d

Species : Rabbit
NOAEL : 2,000 mg/kg
Application Route : Dermal

Aspiration toxicity

Not classified based on available information.

Product:

No data available

Information on likely routes of exposure**Product:**

Inhalation : Remarks: None known.

Skin contact : Remarks: None known.

Eye contact : Remarks: None known.

Ingestion : Remarks: None known.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): < 1 mg/l
Exposure time: 48 h

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (algae)): 56 mg/l
Exposure time: 96 h

HB-40

Version	Revision Date:	SDS Number:	Date of last issue: 09/14/2017
2.1	11/12/2018	150000093416	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

Ingredients:**terphenyl, hydrogenated:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l
Exposure time: 96 h
Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR (Daphnia magna (Water flea)): 1 mg/l
End point: mortality
Exposure time: 21 d
Method: OECD Test Guideline 211

Persistence and degradability**Ingredients:****terphenyl, hydrogenated:**

Biodegradability : Result: Partially biodegradable.

Bioaccumulative potential**Ingredients:****terphenyl, hydrogenated:**

Bioaccumulation : Bioconcentration factor (BCF): 700 - 5,200

Partition coefficient: n-octanol/water : log Pow: > 6.5

Mobility in soil**Ingredients:****terphenyl, hydrogenated:**

Distribution among environmental compartments : log Koc: 5.5

Other adverse effects**Ingredients:****terphenyl, hydrogenated:**

Results of PBT and vPvB assessment : This substance is considered to be very persistent and very bioaccumulating (vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

HB-40

Version	Revision Date:	SDS Number:	Date of last issue: 09/14/2017
2.1	11/12/2018	15000093416	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

This material when discarded may be a hazardous waste as that term is defined by the Resource Conservation and Recovery Act (RCRA), 40 CFR 261.24, due to its toxicity characteristic. This material should be analyzed in accordance with Method 1311 for the compound D018 BENZENE.
Consult 40 CFR 268.40 or appropriate local regulations for concentration based standards.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (terphenyl, hydrogenated)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964

IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (terphenyl, hydrogenated)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Remarks	: Shipping in package sizes of less than 5 L (liquids) or 5 KG (solids) may lead to a non-regulated classification.
---------	---

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

HB-40

Version	Revision Date:	SDS Number:	Date of last issue: 09/14/2017
2.1	11/12/2018	15000093416	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know****SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

The ingredients of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

ENCS : Not listed

ISHL : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : On the inventory, or in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.


HB-40

Version 2.1 PRD Revision Date: 11/12/2018 SDS Number: 150000093416 Date of last issue: 09/14/2017
 Date of first issue: 09/06/2016

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH	/	1
		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "/" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
 NIOSH REL : USA. NIOSH Recommended Exposure Limits
 OSHA P0 : USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
 ACGIH / TWA : 8-hour, time-weighted average
 NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
 OSHA P0 / TWA : 8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office

HB-40

Version	Revision Date:	SDS Number:	Date of last issue: 09/14/2017
2.1	11/12/2018	150000093416	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 11/12/2018

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8